

裁管尺寸对照表 (DN15)

規格 裁管尺寸		15					22x15	28x15	35x15	42x15	54x15	22x15	28x15	35x15	42x15	54x15
		90度 彎頭	45度 彎頭	接頭	三通	塞頭	異徑 接頭					異徑 三通				
15	90度 彎頭	21	18	14.5	21	18	18	19.5	20.5	23	26.5	25	28	32	35	42
	45度 彎頭	18	15	11.5	18	15	15	16.5	17.5	20	23.5	22	25	29	32	39
	接頭	14.5	11.5	8	14.5	11.5	11.5	13	14	16.5	20	18.5	21.5	25.5	28.5	35.5
	三通	21	18	14.5	21	18	18	19.5	20.5	23	26.5	25	28	32	35	42
	塞頭	18	15	11.5	18	15	15	16.5	17.5	20	23.5	22	25	29	32	39
22x15	異徑 接頭	18	15	11.5	18	15	15	16.5	17.5	20	23.5	22	25	29	32	39
28x15		19.5	16.5	13	19.5	16.5	16.5	18	19	21.5	25	23.5	26.5	30.5	33.5	40.5
35x15		20.5	17.5	14	20.5	17.5	17.5	19	20	22.5	26	24.5	27.5	31.5	34.5	41.5
42x15		23	20	16.5	23	20	20	21.5	22.5	25	28.5	27	30	34	37	44
54x15		26.5	23.5	20	26.5	23.5	23.5	25	26	28.5	32	30.5	33.5	37.5	40.5	47.5
22x15	異徑 三通	25	22	18.5	25	22	22	23.5	24.5	27	30.5	29	32	36	39	46
28x15		28	25	21.5	28	25	25	26.5	27.5	30	33.5	32	35	39	42	49
35x15		32	29	25.5	32	29	29	30.5	31.5	34	37.5	36	39	43	46	53
42x15		35	32	28.5	35	32	32	33.5	34.5	37	40.5	39	42	46	49	56
54x15		42	39	35.5	42	39	39	40.5	41.5	44	47.5	46	49	53	56	63
22x15	異徑 彎頭	25	22	18.5	25	22	22	23.5	24.5	27	30.5	29	32	36	39	46
15x15 -22	大肚叉	25	22	18.5	25	22	22	23.5	24.5	27	30.5	29	32	36	39	46
22x15 -15	朱咀叉	22	19	15.5	22	19	19	20.5	21.5	24	27.5	26	29	33	36	43
22x15 -15		25	22	18.5	25	22	22	23.5	24.5	27	30.5	29	32	36	39	46
22x15 -22		25	22	18.5	25	22	22	23.5	24.5	27	30.5	29	32	36	39	46
22x15 -28		32	29	25.5	32	29	29	30.5	31.5	34	37.5	36	39	43	46	53
28x15 -22		30	27	23.5	30	27	27	28.5	29.5	32	35.5	34	37	41	44	51
28x15 -28		32	29	25.5	32	29	29	30.5	31.5	34	37.5	36	39	43	46	53
28x22 -15		28	25	21.5	28	25	25	26.5	27.5	30	33.5	32	35	39	42	49
15x½"		內牙 彎頭	21	18	14.5	21	18	18	19.5	20.5	23	26.5	25	28	32	35
15x½" 加長	22		19	15.5	22	19	19	20.5	21.5	24	27.5	26	29	33	36	43
15x½"	外牙 彎頭	21	18	14.5	21	18	18	19.5	20.5	23	26.5	25	28	32	35	42
	內牙 接頭	30	27	23.5	30	27	27	28.5	29.5	32	35.5	34	37	41	44	51
	外牙 接頭	32	29	25.5	32	29	29	30.5	31.5	34	37.5	36	39	43	46	53
	內牙 三通	21	18	14.5	21	18	18	19.5	20.5	23	26.5	25	28	32	35	42

裁管尺寸对照表 (DN15)

规格		15x½"	15x½" 加长	15x½"				22x15	15x15 -22	22x15 -15	22x15 -15	22x15 -22	22x15 -28	28x15 -22	28x15 -28	28x22 -15
		内牙弯头		外牙弯头	内牙接头	外牙接头	内牙三通	异径弯头	大肚叉	朱咀叉						
15	90度弯头	21	22	21	30	32	21	25	25	22	25	25	32	30	32	28
	45度弯头	18	19	18	27	29	18	22	22	19	22	22	29	27	29	25
	接头	14.5	15.5	14.5	23.5	25.5	14.5	18.5	18.5	15.5	18.5	18.5	25.5	23.5	25.5	21.5
	三通	21	22	21	30	32	21	25	25	22	25	25	32	30	32	28
	塞头	18	19	18	27	29	18	22	22	19	22	22	29	27	29	25
22x15	异径接头	18	19	18	27	29	18	22	22	19	22	22	29	27	29	25
28x15		19.5	20.5	19.5	28.5	30.5	19.5	23.5	23.5	20.5	23.5	23.5	30.5	28.5	30.5	26.5
35x15		20.5	21.5	20.5	29.5	31.5	20.5	24.5	24.5	21.5	24.5	24.5	31.5	29.5	31.5	27.5
42x15		23	24	23	32	34	23	27	27	24	27	27	34	32	34	30
54x15		26.5	27.5	26.5	35.5	37.5	26.5	30.5	30.5	27.5	30.5	30.5	37.5	35.5	37.5	33.5
22x15	异径三通	25	26	25	34	36	25	29	29	26	29	29	36	34	36	32
28x15		28	29	28	37	39	28	32	32	29	32	32	39	37	39	35
35x15		32	33	32	41	43	32	36	36	33	36	36	43	41	43	39
42x15		35	36	35	44	46	35	39	39	36	39	39	46	44	46	42
54x15		42	43	42	51	53	42	46	46	43	46	46	53	51	53	49
22x15	异径弯头	25	26	25	34	36	25	29	29	26	29	29	36	34	36	32
15x15 -22	大肚叉	25	26	25	34	36	25	29	29	26	29	29	36	34	36	32
22x15 -15	朱咀叉	22	23	22	31	33	22	26	26	23	26	26	33	31	33	29
22x15 -15		25	26	25	34	36	25	29	29	26	29	29	36	34	36	32
22x15 -22		25	26	25	34	36	25	29	29	26	29	29	36	34	36	32
22x15 -28		32	33	32	41	43	32	36	36	33	36	36	43	41	43	39
28x15 -22		30	31	30	39	41	30	34	34	31	34	34	41	39	41	37
28x15 -28		32	33	32	41	43	32	36	36	33	36	36	43	41	43	39
28x22 -15		28	29	28	37	39	28	32	32	29	32	32	39	37	39	35
15x½"		内牙弯头	21	22	21	30	32	21	25	25	22	25	25	32	30	32
15x½" 加长	22		23	22	31	33	22	26	26	23	26	26	33	31	33	29
15x½"	外牙弯头	21	22	21	30	32	21	25	25	22	25	25	32	30	32	28
	内牙接头	30	31	30	39	41	30	34	34	31	34	34	41	39	41	37
	外牙接头	32	33	32	41	43	32	36	36	33	36	36	43	41	43	39
	内牙三通	21	22	21	30	32	21	25	25	22	25	25	32	30	32	28

裁管尺寸对照表 (DN22)

规格		22					15x15 -22	22x22 -28	22x 15	28x 22	35x 22	42x 22	54x 22	22x 15	28x 22	35x 22	42x 22	54x 22	22x 15	28x 22
		90度 弯头	45度 弯头	接头	三通	塞头	大肚叉		異徑 接头					異徑 三通			異徑 弯头			
22	90度 弯头	28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
	45度 弯头	23	18	12.5	23	16	19	26	16	16.5	18	20	23.5	19	26	30	33	40	19	26
	接头	17.5	12.5	7	17.5	10.5	13.5	20.5	10.5	11	12.5	14.5	18	13.5	20.5	24.5	27.5	34.5	13.5	20.5
	三通	28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
	塞头	21	16	10.5	21	14	17	24	14	14.5	16	18	21.5	17	24	28	31	38	17	24
22x15	異徑 接头	21	16	10.5	21	14	17	24	14	14.5	16	18	21.5	17	24	28	31	38	17	24
28x22		21.5	16.5	11	21.5	14.5	17.5	24.5	14.5	15	16.5	18.5	22	17.5	24.5	28.5	31.5	38.5	17.5	24.5
35x22		23	18	12.5	23	16	19	26	16	16.5	18	20	23.5	19	26	30	33	40	19	26
42x22		25	20	14.5	25	18	21	28	18	18.5	20	22	25.5	21	28	32	35	42	21	28
54x22		28.5	23.5	18	28.5	21.5	24.5	31.5	21.5	22	23.5	25.5	29	24.5	31.5	35.5	38.5	45.5	24.5	31.5
22x15	異徑 三通	24	19	13.5	24	17	20	27	17	17.5	19	21	24.5	20	27	31	34	41	20	27
28x22		31	26	20.5	31	24	27	34	24	24.5	26	28	31.5	27	34	38	41	48	27	34
35x22		35	30	24.5	35	28	31	38	28	28.5	30	32	35.5	31	38	42	45	52	31	38
42x22		38	33	27.5	38	31	34	41	31	31.5	33	35	38.5	34	41	45	48	55	34	41
54x22		45	40	34.5	45	38	41	48	38	38.5	40	42	45.5	41	48	52	55	62	41	48
22x15	異徑 弯头	24	19	13.5	24	17	20	27	17	17.5	19	21	24.5	20	27	31	34	41	20	27
28x22		31	26	20.5	31	24	27	34	24	24.5	26	28	31.5	27	34	38	41	48	27	34
15x15 -22	大肚叉	24	19	13.5	24	17	20	27	17	17.5	19	21	24.5	20	27	31	34	41	20	27
22x22 -28		31	26	20.5	31	24	27	34	24	24.5	26	28	31.5	27	34	38	41	48	27	34
22x15 -15	朱咀叉	25	20	14.5	25	18	21	28	18	18.5	20	22	25.5	21	28	32	35	42	21	28
22x15 -22		28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
22x15 -22		28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
22x15 -28		31	26	20.5	31	24	27	34	24	24.5	26	28	31.5	27	34	38	41	48	27	34
28x15 -22		31	26	20.5	31	24	27	34	24	24.5	26	28	31.5	27	34	38	41	48	27	34
28x22 -15		28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
28x22 -22		28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
28x22 -22		31	26	20.5	31	24	27	34	24	24.5	26	28	31.5	27	34	38	41	48	27	34
28x22 -28		31	26	20.5	31	24	27	34	24	24.5	26	28	31.5	27	34	38	41	48	27	34
22x½"		內牙 弯头	27.5	22.5	17	27.5	20.5	23.5	30.5	20.5	21	22.5	24.5	28	23.5	30.5	34.5	37.5	44.5	23.5
22x¾"	28		23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
22x½" 加長	26		21	15.5	26	19	22	29	19	19.5	21	23	26.5	22	29	33	36	43	22	29
22x¾" 加長	28		23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
22x¾"	外牙 弯头	28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31
22x½"	內牙 接头	34	29	23.5	34	27	30	37	27	27.5	29	31	34.5	30	37	41	44	51	30	37
22x¾"		34	29	23.5	34	27	30	37	27	27.5	29	31	34.5	30	37	41	44	51	30	37
22x¾"	外牙 接头	36	31	25.5	36	29	32	39	29	29.5	31	33	36.5	32	39	43	46	53	32	39
22x½"	內牙 三通	27	22	16.5	27	20	23	30	20	20.5	22	24	27.5	23	30	34	37	44	23	30
22x¾"		28	23	17.5	28	21	24	31	21	21.5	23	25	28.5	24	31	35	38	45	24	31

裁管尺寸对照表 (DN22)

规格		22x½"	22x¾"	22x½" 加长	22x¾" 加长	22x¾"	22x½"	22x¾"	22x¾"	22x½"	22x¾"	22x15 -15	22x15 -22	22x15 -22	22x15 -28	28x15 -22	28x22 -15	28x22 -22	28x22 -22	28x22 -28
		内牙弯头					外牙弯头	内牙接头		外牙接头	内牙三通		朱咀叉							
22	90度弯头	27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
	45度弯头	22.5	23	21	23	23	29	29	31	22	23	20	23	23	26	26	23	23	26	26
	接头	17	17.5	15.5	17.5	17.5	23.5	23.5	25.5	16.5	17.5	14.5	17.5	17.5	20.5	20.5	17.5	17.5	20.5	20.5
	三通	27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
	塞头	20.5	21	19	21	21	27	27	29	20	21	18	21	21	24	24	21	21	24	24
22x15	異徑 接头	20.5	21	19	21	21	27	27	29	20	21	18	21	21	24	24	21	21	24	24
28x22		21	21.5	19.5	21.5	21.5	27.5	27.5	29.5	20.5	21.5	18.5	21.5	21.5	24.5	24.5	21.5	21.5	24.5	24.5
35x22		22.5	23	21	23	23	29	29	31	22	23	20	23	23	26	26	23	23	26	26
42x22		24.5	25	23	25	25	31	31	33	24	25	22	25	25	28	28	25	25	28	28
54x22		28	28.5	26.5	28.5	28.5	34.5	34.5	36.5	27.5	28.5	25.5	28.5	28.5	31.5	31.5	28.5	28.5	31.5	31.5
22x15	異徑 三通	23.5	24	22	24	24	30	30	32	23	24	21	24	24	27	27	24	24	27	27
28x22		30.5	31	29	31	31	37	37	39	30	31	28	31	31	34	34	31	31	34	34
35x22		34.5	35	33	35	35	41	41	43	34	35	32	35	35	38	38	35	35	38	38
42x22		37.5	38	36	38	38	44	44	46	37	38	35	38	38	41	41	38	38	41	41
54x22		44.5	45	43	45	45	51	51	53	44	45	42	45	45	48	48	45	45	48	48
22x15	異徑 弯头	23.5	24	22	24	24	30	30	32	23	24	21	24	24	27	27	24	24	27	27
28x22		30.5	31	29	31	31	37	37	39	30	31	28	31	31	34	34	31	31	34	34
15x15 -22	大肚叉	23.5	24	22	24	24	30	30	32	23	24	21	24	24	27	27	24	24	27	27
22x22 -28		30.5	31	29	31	31	37	37	39	30	31	28	31	31	34	34	31	31	34	34
22x15 -15	朱咀叉	24.5	25	23	25	25	31	31	33	24	25	22	25	25	28	28	25	25	28	28
22x15 -22		27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
22x15 -22		27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
22x15 -28		30.5	31	29	31	31	37	37	39	30	31	28	31	31	34	34	31	31	34	34
28x15 -22		30.5	31	29	31	31	37	37	39	30	31	28	31	31	34	34	31	31	34	34
28x22 -15		27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
28x22 -22		27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
28x22 -22		30.5	31	29	31	31	37	37	39	30	31	28	31	31	34	34	31	31	34	34
28x22 -28		30.5	31	29	31	31	37	37	39	30	31	28	31	31	34	34	31	31	34	34
22x½"		牙弯头	27	27.5	25.5	27.5	27.5	33.5	33.5	35.5	26.5	27.5	24.5	27.5	27.5	30.5	30.5	27.5	27.5	30.5
22x¾"	27.5		28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
22x½" 加长	25.5		26	24	26	26	32	32	34	25	26	23	26	26	29	29	26	26	29	29
22x¾" 加长	27.5		28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31
22x¾"	外牙弯头		27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31
22x½"	内牙 接头	33.5	34	32	34	34	40	40	42	33	34	31	34	34	37	37	34	34	37	37
22x¾"		33.5	34	32	34	34	40	40	42	33	34	31	34	34	37	37	34	34	37	37
22x¾"	外牙 接头	35.5	36	34	36	36	42	42	44	35	36	33	36	36	39	39	36	36	39	39
22x½"	内牙 三通	26.5	27	25	27	27	33	33	35	26	27	24	27	27	30	30	27	27	30	30
22x¾"		27.5	28	26	28	28	34	34	36	27	28	25	28	28	31	31	28	28	31	31

裁管尺寸对照表 (DN28)

规格		28					28x15	28x22	35x28	42x28	54x28	28x15	28x22	35x28	42x28	54x28	28x22	22x22-28	22x15-28	28x15-22	
		90度弯头	45度弯头	接头	三通	塞头	異徑接头					異徑三通					異徑弯头	大肚叉	朱咀叉		
28	90度弯头	33	26	20	33	24	24.5	23.5	24	26	29.5	27	30	37	30	47	30	31	31	30	
	45度弯头	26	19	13	26	17	17.5	16.5	17	19	22.5	20	23	30	23	40	23	24	24	23	
	接头	20	13	7	20	11	11.5	10.5	11	13	16.5	14	17	24	17	34	17	18	18	17	
	三通	33	26	20	33	24	24.5	23.5	24	26	29.5	27	30	37	30	47	30	31	31	30	
	塞头	24	17	11	24	15	15.5	14.5	15	17	20.5	18	21	28	21	38	21	22	22	21	
28x15	異徑接头	24.5	17.5	11.5	24.5	15.5	16	15	15.5	17.5	21	18.5	21.5	28.5	21.5	38.5	21.5	22.5	22.5	21.5	
28x22		23.5	16.5	10.5	23.5	14.5	15	14	14.5	16.5	20	17.5	20.5	27.5	20.5	37.5	20.5	21.5	21.5	20.5	
35x28		24	17	11	24	15	15.5	14.5	15	17	20.5	18	21	28	21	38	21	22	22	21	
42x28		26	19	13	26	17	17.5	16.5	17	19	22.5	20	23	30	23	40	23	24	24	23	
54x28		29.5	22.5	16.5	29.5	20.5	21	20	20.5	22.5	26	23.5	26.5	33.5	26.5	43.5	26.5	27.5	27.5	26.5	
28x15	異徑三通	27	20	14	27	18	18.5	17.5	18	20	23.5	21	24	31	24	41	24	25	25	24	
28x22		30	23	17	30	21	21.5	20.5	21	23	26.5	24	27	34	27	44	27	28	28	27	
35x28		37	30	24	37	28	28.5	27.5	28	30	33.5	31	34	41	34	51	34	35	35	34	
42x28		30	23	17	30	21	21.5	20.5	21	23	26.5	24	27	34	27	44	27	28	28	27	
54x28		47	40	34	47	38	38.5	37.5	38	40	43.5	41	44	51	44	61	44	45	45	44	
28x22	異徑弯头	30	23	17	30	21	21.5	20.5	21	23	26.5	24	27	34	27	44	27	28	28	27	
22x22-28	大肚叉	31	24	18	31	22	22.5	21.5	22	24	27.5	25	28	35	28	45	28	29	29	28	
22x15-28	朱咀叉	31	24	18	31	22	22.5	21.5	22	24	27.5	25	28	35	28	45	28	29	29	28	
28x15-22		30	23	17	30	21	21.5	20.5	21	23	26.5	24	27	34	27	44	27	28	28	27	
28x15-28		33	26	20	33	24	24.5	23.5	24	26	29.5	27	30	37	30	47	30	31	31	30	
28x15-28		34	27	21	34	25	25.5	24.5	25	27	30.5	28	31	38	31	48	31	32	32	31	
28x22-15		27	20	14	27	18	18.5	17.5	18	20	23.5	21	24	31	24	41	24	25	25	24	
28x22-22		30	23	17	30	21	21.5	20.5	21	23	26.5	24	27	34	27	44	27	28	28	27	
28x22-28		33	26	20	33	24	24.5	23.5	24	26	29.5	27	30	37	30	47	30	31	31	30	
28x22-28		33	26	20	33	24	24.5	23.5	24	26	29.5	27	30	37	30	47	30	31	31	30	
28x½"		內牙弯头	28	21	15	28	19	19.5	18.5	19	21	24.5	22	25	32	25	42	25	26	26	25
28x¾"			31	24	18	31	22	22.5	21.5	22	24	27.5	25	28	35	28	45	28	29	29	28
28x1"	33		26	20	33	24	24.5	23.5	24	26	29.5	27	30	37	30	47	30	31	31	30	
28x1" 加長	34		27	21	34	25	25.5	24.5	25	27	30.5	28	31	38	31	48	31	32	32	31	
28x¾"	外牙弯头	30	23	17	30	21	21.5	20.5	21	23	26.5	24	27	34	27	44	27	28	28	27	
28x1"		34	27	21	34	25	25.5	24.5	25	27	30.5	28	31	38	31	48	31	32	32	31	
28x1"	內牙接头	38	31	25	38	29	29.5	28.5	29	31	34.5	32	35	42	35	52	35	36	36	35	
	外牙接头	39	32	26	39	30	30.5	29.5	30	32	35.5	33	36	43	36	53	36	37	37	36	
28x½"	內牙三通	29	22	16	29	20	20.5	19.5	20	22	25.5	23	26	33	26	43	26	27	27	26	
28x¾"		31	24	18	31	22	22.5	21.5	22	24	27.5	25	28	35	28	45	28	29	29	28	
28x1"		34	27	21	34	25	25.5	24.5	25	27	30.5	28	31	38	31	48	31	32	32	31	
28x¾"		外牙三通	29	22	16	29	20	20.5	19.5	20	22	25.5	23	26	33	26	43	26	27	27	26

裁管尺寸对照表 (DN28)

规格		28x15	28x15	28x22	28x22	28x22	28x22	28x½"	28x¾"	28x1"	28x1	28x¾"	28x1"	28x1"		28x½"	28x¾"	28x1"	28x¾"	
		-28	-28	-15	-22	-28	-28				加長				內牙	外牙				
规格		朱咀叉						內牙彎頭				外牙彎頭		內牙三通		外牙三通				
28	90度彎頭	33	34	27	30	33	33	28	31	33	34	30	34	38	39	29	31	34	29	
	45度彎頭	26	27	20	23	26	26	21	24	26	27	23	27	31	32	22	24	27	22	
	接頭	20	21	14	17	20	20	15	18	20	21	17	21	25	26	16	18	21	16	
	三通	33	34	27	30	33	33	28	31	33	34	30	34	38	39	29	31	34	29	
	塞頭	24	25	18	21	24	24	19	22	24	25	21	25	29	30	20	22	25	20	
28x15	異徑接頭	24.5	25.5	18.5	21.5	24.5	24.5	19.5	22.5	24.5	25.5	21.5	25.5	29.5	30.5	20.5	22.5	25.5	20.5	
28x22		23.5	24.5	17.5	20.5	23.5	23.5	18.5	21.5	23.5	24.5	20.5	24.5	28.5	29.5	19.5	21.5	24.5	19.5	
35x28		24	25	18	21	24	24	19	22	24	25	21	25	29	30	20	22	25	20	
42x28		26	27	20	23	26	26	21	24	26	27	23	27	31	32	22	24	27	22	
54x28		29.5	30.5	23.5	26.5	29.5	29.5	24.5	27.5	29.5	30.5	26.5	30.5	34.5	35.5	25.5	27.5	30.5	25.5	
28x15	異徑三通	27	28	21	24	27	27	22	25	27	28	24	28	32	33	23	25	28	23	
28x22		30	31	24	27	30	30	25	28	30	31	27	31	35	36	26	28	31	26	
35x28		37	38	31	34	37	37	32	35	37	38	34	38	42	43	33	35	38	33	
42x28		30	31	24	27	30	30	25	28	30	31	27	31	35	36	26	28	31	26	
54x28		47	48	41	44	47	47	42	45	47	48	44	48	52	53	43	45	48	43	
28x22	異徑彎頭	30	31	24	27	30	30	25	28	30	31	27	31	35	36	26	28	31	26	
22x22-28	大肚叉	31	32	25	28	31	31	26	29	31	32	28	32	36	37	27	29	32	27	
22x15-28	朱咀叉	31	32	25	28	31	31	26	29	31	32	28	32	36	37	27	29	32	27	
28x15-22		30	31	24	27	30	30	25	28	30	31	27	31	35	36	26	28	31	26	
28x15-28		33	34	27	30	33	33	28	31	33	34	30	34	38	39	29	31	34	29	
28x15-28		34	35	28	31	34	34	29	32	34	35	31	35	39	40	30	32	35	30	
28x22-15		27	28	21	24	27	27	22	25	27	28	24	28	32	33	23	25	28	23	
28x22-22		30	31	24	27	30	30	25	28	30	31	27	31	35	36	26	28	31	26	
28x22-28		33	34	27	30	33	33	28	31	33	34	30	34	38	39	29	31	34	29	
28x22-28		33	34	27	30	33	33	28	31	33	34	30	34	38	39	29	31	34	29	
28x½"		內牙彎頭	28	29	22	25	28	28	23	26	28	29	25	29	33	34	24	26	29	24
28x¾"			31	32	25	28	31	31	26	29	31	32	28	32	36	37	27	29	32	27
28x1"	33		34	27	30	33	33	28	31	33	34	30	34	38	39	29	31	34	29	
28x1" 加長	34		35	28	31	34	34	29	32	34	35	31	35	39	40	30	32	35	30	
28x¾"	外牙彎頭	30	31	24	27	30	30	25	28	30	31	27	31	35	36	26	28	31	26	
28x1"		34	35	28	31	34	34	29	32	34	35	31	35	39	40	30	32	35	30	
28x1"	內牙接頭	38	39	32	35	38	38	33	36	38	39	35	39	43	44	34	36	39	34	
	外牙接頭	39	40	33	36	39	39	34	37	39	40	36	40	44	45	35	37	40	35	
28x½"	內牙三通	29	30	23	26	29	29	24	27	29	30	26	30	34	35	25	27	30	25	
28x¾"		31	32	25	28	31	31	26	29	31	32	28	32	36	37	27	29	32	27	
28x1"		34	35	28	31	34	34	29	32	34	35	31	35	39	40	30	32	35	30	
28x¾"		外牙三通	29	30	23	26	29	29	24	27	29	30	26	30	34	35	25	27	30	25

裁管尺寸对照表 (DN35)

规格		35					35x15	35x22	35x28	42x35	54x35
		90度 弯头	45度 弯头	接头	三通	塞头	异径 三通				
35	90度 弯头	38	29	21.5	38	25	28	31	34	41	48
	45度 弯头	29	20	12.5	29	16	19	22	25	32	39
	接头	21.5	12.5	5	21.5	8.5	11.5	14.5	17.5	24.5	31.5
	三通	38	29	21.5	38	25	28	31	34	41	48
	塞头	25	16	8.5	25	12	15	18	21	28	35
35x15	异径 接头	26.5	17.5	10	26.5	13.5	16.5	19.5	22.5	29.5	36.5
35x22		26	17	9.5	26	13	16	19	22	29	36
35x28		25	16	8.5	25	12	15	18	21	28	35
42x35		26	17	9.5	26	13	16	19	22	29	36
54x35		29.5	20.5	13	29.5	16.5	19.5	22.5	25.5	32.5	39.5
35x15	异径 三通	28	19	11.5	28	15	18	21	24	31	38
35x22		31	22	14.5	31	18	21	24	27	34	41
35x28		34	25	17.5	34	21	24	27	30	37	44
42x35		42.5	33.5	26	42.5	29.5	32.5	35.5	38.5	45.5	52.5
54x35		49.5	40.5	33	49.5	36.5	39.5	42.5	45.5	52.5	59.5
35x1 1/4"	内牙 接头	41	32	24.5	41	28	31	34	37	44	51
	外牙 接头	42	33	25.5	42	29	32	35	38	45	52
35x 3/4"	外牙 弯头	31	22	14.5	31	18	21	24	27	34	41
35x 3/4"	外牙 三通	30	21	13.5	30	17	20	23	26	33	40
35x1"		34	25	17.5	34	21	24	27	30	37	44
35x 3/4"	外牙 大肚叉	32	23	15.5	32	19	22	25	28	35	42

裁管尺寸对照表 (DN35)

裁管尺寸 規格		35x1¼"		35x¾"	35x¾"	35x1"	35x¾"	35x15	35x22	35x28	42x35	54x35
		內牙 接頭	外牙 接頭	外牙 彎頭	外牙 三通		外牙 大肚叉	異徑 接頭				
35	90度 彎頭	41	42	31	30	34	32	26.5	26	25	26	29.5
	45度 彎頭	32	33	22	21	25	23	17.5	17	16	17	20.5
	接頭	24.5	25.5	14.5	13.5	17.5	15.5	10	9.5	8.5	9.5	13
	三通	41	42	31	30	34	32	26.5	26	25	26	29.5
	塞頭	28	29	18	17	21	19	13.5	13	12	13	16.5
35x15	異徑 接頭	29.5	30.5	19.5	18.5	22.5	20.5	15	14.5	13.5	14.5	18
35x22		29	30	19	18	22	20	14.5	14	13	14	17.5
35x28		28	29	18	17	21	19	13.5	13	12	13	16.5
42x35		29	30	19	18	22	20	14.5	14	13	14	17.5
54x35		32.5	33.5	22.5	21.5	25.5	23.5	18	17.5	16.5	17.5	21
35x15	異徑 三通	31	32	21	20	24	22	16.5	16	15	16	19.5
35x22		34	35	24	23	27	25	19.5	19	18	19	22.5
35x28		37	38	27	26	30	28	22.5	22	21	22	25.5
42x35		45.5	46.5	35.5	34.5	38.5	36.5	31	30.5	29.5	30.5	34
54x35		52.5	53.5	42.5	41.5	45.5	43.5	38	37.5	36.5	37.5	41
35x1¼"	內牙 接頭	44	45	34	33	37	35	29.5	29	28	29	32.5
	外牙 接頭	45	46	35	34	38	36	30.5	30	29	30	33.5
35x¾"	外牙 彎頭	34	35	24	23	27	25	19.5	19	18	19	22.5
35x¾"	外牙 三通	33	34	23	22	26	24	18.5	18	17	18	21.5
35x1"		37	38	27	26	30	28	22.5	22	21	22	25.5
35x¾"	外牙 大肚叉	35	36	25	24	28	26	20.5	20	19	20	23.5

裁管尺寸对照表 (DN42)

规格		42					42x15	42x22	42x28	42x35	54x42	42x15	42x22	42x28	42x35	54x42
		90度弯头	45度弯头	接头	三通	塞头	異徑接头					異徑三通				
42	90度弯头	46	35	26	46	29	33	32	31	30	32.5	32	35	38	42	52
	45度弯头	35	24	15	35	18	22	21	20	19	21.5	21	24	27	31	41
	接头	26	15	6	26	9	13	12	11	10	12.5	12	15	18	22	32
	三通	46	35	26	46	29	33	32	31	30	32.5	32	35	38	42	52
	塞头	29	18	9	29	12	16	15	14	13	15.5	15	18	21	25	35
42x15	異徑接头	33	22	13	33	16	20	19	18	17	19.5	19	22	25	29	39
42x22		32	21	12	32	15	19	18	17	16	18.5	18	21	24	28	38
42x28		31	20	11	31	14	18	17	16	15	17.5	17	20	23	27	37
42x35		30	19	10	30	13	17	16	15	14	16.5	16	19	22	26	36
54x42		32.5	21.5	12.5	32.5	15.5	19.5	18.5	17.5	16.5	19	18.5	21.5	24.5	28.5	38.5
42x15	異徑三通	32	21	12	32	15	19	18	17	16	18.5	18	21	24	28	38
42x22		35	24	15	35	18	22	21	20	19	21.5	21	24	27	31	41
42x28		38	27	18	38	21	25	24	23	22	24.5	24	27	30	34	44
42x35		42	31	22	42	25	29	28	27	26	28.5	28	31	34	38	48
54x42		52	41	32	52	35	39	38	37	36	38.5	38	41	44	48	58
42x1½"	内牙接头	47	36	27	47	30	34	33	32	31	33.5	33	36	39	43	53
	外牙接头	49	38	29	49	32	36	35	34	33	35.5	35	38	41	45	55
42x¾"	外牙弯头	35	24	15	35	18	22	21	20	19	21.5	21	24	27	31	41
42x1"		39	28	19	39	22	26	25	24	23	25.5	25	28	31	35	45
42x1¼"		43	32	23	43	26	30	29	28	27	29.5	29	32	35	39	49
42x¾"	外牙三通	34	23	14	34	17	21	20	19	18	20.5	20	23	26	30	40
42x1"		38	27	18	38	21	25	24	23	22	24.5	24	27	30	34	44
42x1¼"		43	32	23	43	26	30	29	28	27	29.5	29	32	35	39	49
42x¾"	外牙大肚叉	36	25	16	36	19	23	22	21	20	22.5	22	25	28	32	42
42x¾"	外牙四通	34	23	14	34	17	21	20	19	18	20.5	20	23	26	30	40
42x¾"	内牙四通	36	25	16	36	19	23	22	21	20	22.5	22	25	28	32	42

裁管尺寸对照表 (DN42)

规格		规格										
		42x1½"		42x¾"	42x1"	42x1¼"	42x¾"	42x1"	42x1¼"	42x¾"	42x¾"	42x¾"
规格		内牙 接头	外牙 接头	外牙 弯头			外牙 三通			外牙 大肚叉	外牙 四通	内牙 四通
42	90度 弯头	47	49	35	39	43	34	38	43	36	34	36
	45度 弯头	36	38	24	28	32	23	27	32	25	23	25
	接头	27	29	15	19	23	14	18	23	16	14	16
	三通	47	49	35	39	43	34	38	43	36	34	36
	塞头	30	32	18	22	26	17	21	26	19	17	19
42x15	異徑 接头	34	36	22	26	30	21	25	30	23	21	23
42x22		33	35	21	25	29	20	24	29	22	20	22
42x28		32	34	20	24	28	19	23	28	21	19	21
42x35		31	33	19	23	27	18	22	27	20	18	20
54x42		33.5	35.5	21.5	25.5	29.5	20.5	24.5	29.5	22.5	20.5	22.5
42x15	異徑 三通	33	35	21	25	29	20	24	29	22	20	22
42x22		36	38	24	28	32	23	27	32	25	23	25
42x28		39	41	27	31	35	26	30	35	28	26	28
42x35		43	45	31	35	39	30	34	39	32	30	32
54x42		53	55	41	45	49	40	44	49	42	40	42
42x1½"	内牙 接头	48	50	36	40	44	35	39	44	37	35	37
	外牙 接头	50	52	38	42	46	37	41	46	39	37	39
42x¾"	外牙 弯头	36	38	24	28	32	23	27	32	25	23	25
42x1"		40	42	28	32	36	27	31	36	29	27	29
42x1¼"		44	46	32	36	40	31	35	40	33	31	33
42x¾"	外牙 三通	35	37	23	27	31	22	26	31	24	22	24
42x1"		39	41	27	31	35	26	30	35	28	26	28
42x1¼"		44	46	32	36	40	31	35	40	33	31	33
42x¾"	外牙 大肚叉	37	39	25	29	33	24	28	33	26	24	26
42x¾"	外牙 四通	35	37	23	27	31	22	26	31	24	22	24
42x¾"	内牙 四通	37	39	25	29	33	24	28	33	26	24	26

裁管尺寸对照表 (DN54)

规格		54					54x15	54x22	54x28	54x35	54x42	54x15	54x22	54x28	54x35	54x42
		90度 弯头	45度 弯头	接头	三通	塞头	異徑 接头					異徑 三通				
54	90度 弯头	62	46	36	62	37	44.5	43.5	42.5	41.5	40.5	42	45	48	52	56
	45度 弯头	46	30	20	46	21	28.5	27.5	26.5	25.5	24.5	26	29	32	36	40
	接头	36	20	10	36	11	18.5	17.5	16.5	15.5	14.5	16	19	22	26	30
	三通	62	46	36	62	37	44.5	43.5	42.5	41.5	40.5	42	45	48	52	56
	塞头	37	21	11	37	12	19.5	18.5	17.5	16.5	15.5	17	20	23	27	31
54x2"	内牙 接头	58	42	32	58	33	40.5	39.5	38.5	37.5	36.5	38	41	44	48	52
	外牙 接头	61	45	35	61	36	43.5	42.5	41.5	40.5	39.5	41	44	47	51	55
54x¾"	外牙 弯头	46	30	20	46	21	28.5	27.5	26.5	25.5	24.5	26	29	32	36	40
54x¾"	外牙 三通	46	30	20	46	21	28.5	27.5	26.5	25.5	24.5	26	29	32	36	40
54x1"		47	31	21	47	22	29.5	28.5	27.5	26.5	25.5	27	30	33	37	41
54x¾"	外牙 大肚叉	45	29	19	45	20	27.5	26.5	25.5	24.5	23.5	25	28	31	35	39
54x1¼"		52	36	26	52	27	34.5	33.5	32.5	31.5	30.5	32	35	38	42	46
54x¾"	外牙 四通	46	30	20	46	21	28.5	27.5	26.5	25.5	24.5	26	29	32	36	40
54x1¼"		52	36	26	52	27	34.5	33.5	32.5	31.5	30.5	32	35	38	42	46
54x¾"	内牙 四通	46	30	20	46	21	28.5	27.5	26.5	25.5	24.5	26	29	32	36	40
54x15	異徑 接头	44.5	28.5	18.5	44.5	19.5	27	26	25	24	23	24.5	27.5	30.5	34.5	38.5
54x22		43.5	27.5	17.5	43.5	18.5	26	25	24	23	22	23.5	26.5	29.5	33.5	37.5
54x28		42.5	26.5	16.5	42.5	17.5	25	24	23	22	21	22.5	25.5	28.5	32.5	36.5
54x35		41.5	25.5	15.5	41.5	16.5	24	23	22	21	20	21.5	24.5	27.5	31.5	35.5
54x42		40.5	24.5	14.5	40.5	15.5	23	22	21	20	19	20.5	23.5	26.5	30.5	34.5
54x15	異徑 三通	42	26	16	42	17	24.5	23.5	22.5	21.5	20.5	22	25	28	32	36
54x22		45	29	19	45	20	27.5	26.5	25.5	24.5	23.5	25	28	31	35	39
54x28		48	32	22	48	23	30.5	29.5	28.5	27.5	26.5	28	31	34	38	42
54x35		52	36	26	52	27	34.5	33.5	32.5	31.5	30.5	32	35	38	42	46
54x42		56	40	30	56	31	38.5	37.5	36.5	35.5	34.5	36	39	42	46	50

裁管尺寸对照表 (DN54)

規格 裁管尺寸		54x2"		54x¾"	54x¾"	54x1"	54x¾"	54x1½"	54x¾"	54x1½"	54x¾"
		內牙 接頭	外牙 接頭	外牙 彎頭	外牙 三通		外牙 大肚叉		外牙 四通		內牙 四通
54	90度 彎頭	58	61	46	46	47	45	52	46	52	46
	45度 彎頭	42	45	30	30	31	29	36	30	36	30
	接頭	32	35	20	20	21	19	26	20	26	20
	三通	58	61	46	46	47	45	52	46	52	46
	塞頭	33	36	21	21	22	20	27	21	27	21
54x2"	內牙 接頭	54	57	42	42	43	41	48	42	48	42
	外牙 接頭	57	60	45	45	46	44	51	45	51	45
54x¾"	外牙 彎頭	42	45	30	30	31	29	36	30	36	30
54x¾"	外牙 三通	42	45	30	30	31	29	36	30	36	30
54x1"		43	46	31	31	32	30	37	31	37	31
54x¾"	外牙 大肚叉	41	44	29	29	30	28	35	29	35	29
54x1½"		48	51	36	36	37	35	42	36	42	36
54x¾"	外牙 四通	42	45	30	30	31	29	36	30	36	30
54x1½"		48	51	36	36	37	35	42	36	42	36
54x¾"	內牙 四通	42	45	30	30	31	29	36	30	36	30
54x15	異徑 接頭	40.5	43.5	28.5	28.5	29.5	27.5	34.5	28.5	34.5	28.5
54x22		39.5	42.5	27.5	27.5	28.5	26.5	33.5	27.5	33.5	27.5
54x28		38.5	41.5	26.5	26.5	27.5	25.5	32.5	26.5	32.5	26.5
54x35		37.5	40.5	25.5	25.5	26.5	24.5	31.5	25.5	31.5	25.5
54x42		36.5	39.5	24.5	24.5	25.5	23.5	30.5	24.5	30.5	24.5
54x15	異徑 三通	38	41	26	26	27	25	32	26	32	26
54x22		41	44	29	29	30	28	35	29	35	29
54x28		44	47	32	32	33	31	38	32	38	32
54x35		48	51	36	36	37	35	42	36	42	36
54x42		52	55	40	40	41	39	46	40	46	40